

Call for Partnership


Dear Sir or Madam,

for the last decade, JOANNEUM RESEARCH HEALTH has been pioneering the use of our proprietary dermal Open Flow Microperfusion (dOFM™) technology to support the translational development of dermal drug products. By obtaining pharmacokinetic and pharmacodynamic data at or near the sites of action in skin, dOFM™ studies have been able to rapidly derisk/endorse drug development decisions.

We are now seeking a limited number of clinical partners to adopt the dOFM[™] development approach. We encourage you to visit our website for further details and to submit your letter of interest until December 31st, 2022 here:

Call for Partnership

Kind regards,
Joanneum Research HEALTH
clinical.partner@joanneum.at



Call for Partnership

We would like to invite qualified institutes and organizations to become certified clinical dOFM™ partners. Visit our website to learn how you can participate in this unique opportunity.

More

EUFEPS Meeting

Our Vice President Frank Sinner will be attending the Global Bioequivalence Harmonization Initiative on September 28-29, 2022 to present on our new dOFM™ partnership model.

Dermal Open Flow Microperfusion PROMISING TECHNOLOGIES: CONTINUOUS SKIN SAMPLING METHODS FOR CUTANEOUS PK. ASSESSMENT Katrin I. Tiffner, Beate Boulgaropoulos, Thomas Birngruber, Manfred Bodenlerz, Bettina C. Lackner, Reingard Raml, Frank Sinner Frank Sinner Lively by the jumped was made passale. or suct by the first and followed by the first and follo

More



dOFM™ Webinar

Watch our webinar "Informed decisions in dermal drug development with dOFM™ to learn more about our membrane-free, time-resolved, minimally-invasive, in-vivo sampling technology.

More

References

Use of OFM in BE study. Bodenlenz, M., Tiffner, K.I., Raml, R., Augustin, T., Dragatin, C., Birngruber, T., Schimek, D., Schwagerle, G., Pieber, T.R., Raney, S.G., Kanfer, I., Sinner, F., 2017. Open Flow Microperfusion as a Dermal Pharmacokinetic Approach to Evaluate Topical Bioequivalence. Clin. Pharmacokinet. 56, 91–98. DOI

OFM use shown for antibody PK. Dragatin, C., Polus, F., Bodenlenz, M., Calonder, C., Aigner, B., Tiffner, K.I., Mader, J.K., Ratzer, M., Woessner, R., Pieber, T.R., Cheng, Y., Loesche, C., Sinner, F., Bruin, G., 2016. Secukinumab distributes into dermal interstitial fluid of psoriasis patients as demonstrated by open flow microperfusion. Exp. Dermatol. 25, 157–159. DOI

OFM mentioned in FDA report as research highlight. US FDA - Center for drug evaluation and research, 2021. FY 2020 GDUFA Science and Research Report. Link

Are you looking for a long-term, synergetic partnership? We are open to innovative proposals to create win-win agreements and take dOFM™ to the next level.

PDF Download

JOANNEUM RESEARCH Forschungsgesellschaft mbH Leonhardstraße 59 8010 Graz, Austria

f y in O D







Visit us on



phone: +43 316 876-0 prm@joanneum.at

<u>Imprint</u>

You can edit your newsletter settings or unsubscribe completely.

Unsubscribe